

11 - 6 気象庁震度データベースを用いた地震予測 (2019 年の予測結果の評価と 2020 年の予測)

Earthquake forecasting in 2020 by using the seismic intensity database of Japan Meteorological Agency and evaluation of the 2019 forecast

小泉 尚嗣 (滋賀県立大学環境科学部)

Naotsugu Koizumi (Sch. Environ. Sci., Univ. Shiga Pref.)

小泉・今給黎 (2017)¹⁾, 小泉 (2018)²⁾, 小泉 (2019)³⁾ は, 今給黎 (2016)⁴⁾ の原理を用いて, 気象庁震度データベース (気象庁, 2020)⁵⁾ を用いて 2015 年～2019 年の日本全国 47 都道府県における震度 4 以上の地震の予測を行い, 前年までの予測結果も評価した. 今回は, 小泉 (2019)³⁾ による 2019 年の予測結果を評価すると共に 2020 年の予測を行う.

2001 年～2010 年, 及び, 2012 年から 2019 年まで, 1 年ずつずらした 3 年毎の期間について, 各都道府県で震度 4 以上の揺れを記録した地震の平均発生間隔を第 1 表に示す. この平均発生間隔で定常ポアソン過程に従って震度 4 以上の地震が発生すると仮定すると発生確率が計算できる. 確率が 70% 以上なら赤予報, 30% 未満なら青予報, 30% 以上 70% 未満なら黄予報とする. 2001-2010 年の発生間隔を用いた 1 年間 (365 ～ 366 日間) の予報と 2019 年の実際の地震発生状況を第 1 図に, 2016-2018 年の発生間隔を用いた 1 年間の予報と 2019 年の実際の地震発生状況を第 2 図に示す. 第 3 図と第 4 図は, 2001 年～10 年及び 2017～2019 年の地震活動を用いた 1 年間と 3 ヶ月間 (90 日～92 日間) の予測である (2020 年の予測と考えても良い).

第 1 図左図と第 2 図左図は小泉 (2019)³⁾ で報告したもので, これらを 2019 年の 1 年予測として結果を評価したのが第 2 表・第 3 表である. それぞれの表で, 赤予報については, 適中率⁶⁾ (出した予報がどれくらいあたったかの割合) と予知率⁶⁾ (発生した地震の中でどれくらい予測されていたかを示す割合) を計算した. 青予報については, 青予報を出して実際に地震が起きなかった割合を仮に「安心率」として評価した²⁾. 黄予報については評価していない.

同様に, 2019 年の 1～3 月・4～6 月・7～9 月・10～12 月の各 3 ヶ月について, 小泉 (2019)³⁾ が行った震度 4 以上の地震予測を検証した結果を第 4, 5 表に示す. 1 年予測の場合に比べて, 予測期間が短くなるので発生確率は小さくなり, 結果として, 赤予報の割合が減り, 青予報の割合が増える. また, 予測期間が短くなるので適中率も下がる. 2015 年～2019 年の 1 年予測および 3 ヶ月予測における予知率・適中率・安心率の推移を第 6 表・第 7 表に示す. また, 2001 年～2019 年に日本で震度 4 以上を記録した地震の数を第 8 表に示す.

2015 年～2019 年の予知率・適中率・安心率について, 予測に用いた地震活動期間を 2001～2010 年に固定した時と予測年の前の 3 年にした時では, 3 ヶ月予測の予知率は, 予測に用いた地震活動期間を予測年の前の 3 年間にした時の方が成績がよい. しかし, 他の指標では両者に差はない. また, それぞれの指標のばらつき (標準偏差) は, 予測に用いた地震活動期間を 2001～2010 年に固定した時の方が小さい傾向にある (第 6, 7 表) (小泉尚嗣).

参考文献

- 1) 小泉尚嗣・今給黎哲郎 (2017), 予知連会報, **98**, 486-494.
- 2) 小泉尚嗣 (2018), 予知連会報, **100**, http://cais.gsi.go.jp/YOCHIREN/report/kaihou100/12_08.pdf,

2020 年 3 月 5 日確認.

- 3) 小泉尚嗣 (2019), 予知連会報, **102**, 391-397.
- 4) 今給黎哲郎 (2016), 予知連会報, **95**, 425-431.
- 5) 気象庁, 2020, <http://www.data.jma.go.jp/svd/eqdb/data/shindo/index.php>, 2020 年 3 月 4 日確認.
- 6) 宇津徳治 (1977), 地震 2, **30**, 179-185.
- 7) 白地図ぬりぬり (2020), <https://n.freemap.jp/>, 2020 年 3 月 4 日確認

第 1 表 各都道府県において震度 4 以上を記録した地震の平均発生間隔。「-」は対応する期間に震度 4 以上を記録する地震がなかったことを示す.

Table 1 Average interval of the earthquake whose seismic intensity in JMA is 4 or greater in each prefecture. “-” shows that there was no earthquake whose seismic intensity is 4 or greater.

NO.	都道府県	2001-2010年 平均発生間隔 (日)	2012-2014年 平均発生間隔 (日)	2013-2015年 平均発生間隔 (日)	2014-2016年 平均発生間隔 (日)	2015-2017年 平均発生間隔 (日)	2016-2018年 平均発生間隔 (日)	2017-2019年 平均発生間隔 (日)
1	北海道	61	58	68	61	69	26	27
2	青森	174	64	64	69	91	137	137
3	岩手	99	38	58	78	122	137	122
4	宮城	59	30	52	69	78	78	84
5	秋田	522	365	548	365	219	365	365
6	山形	243	548	1,095	548	548	1,096	1,095
7	福島	85	24	37	46	48	44	55
8	茨城	78	20	32	38	37	38	55
9	栃木	87	41	44	46	55	69	91
10	群馬	228	110	122	157	219	274	274
11	埼玉	130	64	78	69	91	100	219
12	千葉	114	58	78	84	73	64	78
13	東京	94	137	137	137	183	365	274
14	神奈川	215	73	110	110	183	274	548
15	新潟	34	183	365	365	1,096	548	365
16	富山	1,826	1,096	1,095	-	-	-	-
17	石川	174	365	365	548	548	1,096	1,095
18	福井	609	-	-	-	-	1,096	1,095
19	山梨	730	219	548	548	1,096	-	-
20	長野	166	122	156	137	157	122	137
21	岐阜	261	-	1,095	1,096	548	548	365
22	静岡	183	274	548	1,096	1,096	-	548
23	愛知	406	1,096	548	1,096	1,096	548	548
24	三重	522	-	-	1,096	1,096	548	1,095
25	滋賀	913	1,096	1,095	1,096	-	1,096	1,095
26	京都	913	548	548	548	1,096	365	548
27	大阪	913	548	548	365	548	274	548
28	兵庫	913	1,096	1,095	1,096	1,096	548	1,095
29	奈良	609	1,096	1,095	1,096	1,096	548	1,095
30	和歌山	522	274	274	548	548	365	548
31	鳥取	522	1,096	219	69	73	91	1,095
32	島根	457	1,096	1,095	365	548	137	183
33	岡山	913	548	548	365	548	365	1,095
34	広島	730	1,096	548	274	365	274	548
35	徳島	1,217	548	365	548	1,096	1,096	548
36	香川	913	548	548	548	1,096	548	1,095
37	愛媛	332	1,096	365	219	274	274	274
38	高知	457	1,096	365	274	365	548	548
39	山口	457	1,096	1,095	219	274	274	-
40	福岡	365	1,096	548	100	110	122	1,095
41	佐賀	913	1,096	548	157	183	219	-
42	長崎	1,217	-	-	157	137	137	1,095
43	熊本	332	274	365	8	8	8	84
44	大分	281	548	548	52	48	48	219
45	宮崎	365	274	274	100	100	110	156
46	鹿児島	215	157	122	73	73	91	137
47	沖縄	457	274	219	219	1,096	1,096	1,095

第 2 表 2001 ～ 2010 年の地震活動に基づく震度 4 以上の地震の 1 年予測における 2019 年の検証結果
 Table 2 Evaluation of the one-year-forecast of the earthquake whose seismic intensity in JMA scale is four or greater in 2019. The forecast is based on the seismic activity during the period from 2001 to 2010.

	赤予報	黄予報	青予報	小計
地震有り	18	7	1	26
地震無し	2	17	2	21
小計	20	24	3	47

適中率	18/20	0.90
予知率	18/26	0.69
安心率	2/3	0.67

第 3 表 2016 ～ 2018 年の地震活動に基づく震度 4 以上の地震の 1 年予測における 2019 年の検証結果
 Table 3 Evaluation of the one-year-forecast of the earthquake in 2019, which is based on the seismic activity during the period from 2016 to 2018.

	赤予報	黄予報	青予報	小計
地震有り	17	6	3	26
地震無し	8	7	6	21
小計	25	13	9	47

適中率	17/25	0.68
予知率	17/26	0.65
安心率	6/9	0.67

第 4 表 2001 ～ 2010 年の地震活動に基づく震度 4 以上の地震の 3 ヶ月予測（4 回分）における 2019 年の検証結果
 Table 4 Evaluation of the three-month-forecast in 2019, which is based on the seismic activity during the period from 2001 to 2010.

	赤予報	黄予報	青予報	小計
地震有り	7	29	13	49
地震無し	5	31	103	139
小計	12	60	116	188

適中率	7/12	0.58
予知率	7/49	0.14
安心率	103/116	0.89

第 5 表 2016 ～ 2018 年の地震活動に基づく震度 4 以上の地震の 3 ヶ月予測（4 回分）における 2019 年の検証結果
 Table 5 Evaluation of the three-month-forecast in 2019, which is based on the seismic activity during the period from 2016 to 2018.

	赤予報	黄予報	青予報	小計
地震有り	18	17	14	49
地震無し	10	31	98	139
小計	28	48	112	188

適中率	18/28	0.64
予知率	18/49	0.37
安心率	98/112	0.88

第 6 表 (a) 予測に用いた地震活動期間を 2001 ～ 2010 年に固定したときの 1 年予測の評価

Table 6(a) Evaluation of the one-year-forecast, which is based on the seismic activity during the period from 2001 to 2010.

	2015	2016	2017	2018	2019	平均	標準偏差
適中率	0.95	0.85	0.70	0.80	0.90	0.84	0.10
予知率	0.59	0.46	0.78	0.44	0.69	0.59	0.14
安心率	0.67	0.67	0.67	0.67	0.67	0.67	0.00

第 6 表 (b) 予測に用いた地震活動期間を直前の 3 年間にしたときの 1 年予測の評価

Table 6(b) Evaluation of the one-year-forecast, which is based on the seismic activity for the last three years.

	2015	2016	2017	2018	2019	平均	標準偏差
適中率	0.90	0.94	0.62	0.75	0.67	0.77	0.14
予知率	0.59	0.46	0.89	0.50	0.62	0.61	0.17
安心率	0.53	0.36	0.89	0.21	0.67	0.53	0.26
予測に用いた 地震活動期間	2012-14	2013-15	2014-16	2015-17	2016-18		

第 7 表 (a) 予測に用いた地震活動期間を 2001 ～ 2010 年に固定したときの 3 ヶ月予測の評価

Table 7(a) Evaluation of the three-month-forecast, which is based on the seismic activity during the period from 2001 to 2010.

	2015	2016	2017	2018	2019	平均	標準偏差
適中率	0.58	0.58	0.50	0.75	0.58	0.60	0.11
予知率	0.12	0.10	0.16	0.16	0.14	0.14	0.03
安心率	0.85	0.75	0.91	0.79	0.89	0.83	0.07

第 7 表 (b) 予測に用いた地震活動期間を直前の 3 年間にしたときの 3 ヶ月予測の評価


Table 7(b) Evaluation of the three-month-forecast, which is based on the seismic activity for the last three years.

	2015	2016	2017	2018	2019	平均	標準偏差
適中率	0.75	0.75	0.57	0.53	0.64	0.65	0.10
予知率	0.53	0.29	0.68	0.33	0.37	0.44	0.16
安心率	0.85	0.75	0.98	0.81	0.88	0.85	0.08
予測に用いた 地震活動期間	2012-14	2013-15	2014-16	2015-17	2016-18		

第 8 表 2001 年～ 2019 年に日本で震度 4 以上を記録した地震の数


Table 8 Numbers of the earthquake whose seismic intensity in JMA scale is four or greater in Japan from 2001 to 2019.

年	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
地震数	37	28	71	105	49	28	57	42	40	37	324	81	64	55	44	192	40	78	40




第 1 図 左図：2001 ～ 2010 年の地震活動に基づく震度 4 以上の揺れを感じる地震の各都道府県における 1 年間の予報。赤：地震あり（確率 70% 以上），黄色：不明（同 30-70%），青：地震無し（同 30% 未満）。なお、この図の作成には、白地図ぬりぬり（2020）⁷⁾ というプログラムを用いた。他の図も同様である。右図：2019 年に震度 4 以上の地震を記録した都道府県。白：地震有り，黒：地震無し。

Fig. 1 Left: One-year-forecast of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture. Red: The probability is 70% or greater. Yellow: The probability is 30% or greater but smaller than 70%. Blue: The probability is smaller than 30%. Each probability is calculated from the seismic activity during the period from 2001 to 2010. This figure was drawn by the program for map display named “Shiro-chizu nuri nuri”⁷⁾. The other figures were also drawn by the same program. Right: Occurrence of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture in 2019. White color means the earthquake occurred and black color means the earthquake did not.




第 2 図 左図：2016 ～ 2018 年の地震活動に基づく震度 4 以上の揺れを感じる地震の各都道府県における 1 年間予報。右図：2019 年に震度 4 以上の地震を記録した都道府県。白：地震有り，黒：地震無し。

Fig. 2 Left: One-year-forecast of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture. The probability is calculated from the seismic activity during the period from 2016 to 2018. Right: Occurrence of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture in 2019. White color means the earthquake occurred and black color means the earthquake did not.



第 3 図 震度 4 以上の揺れを感じる地震の各都道府県における 1 年間予報. 左図 : 2001 ~ 2010 年の地震活動に基づく予報. 右図 : 2017 ~ 2019 年の地震活動に基づく予報.

Fig. 3 One-year-forecast of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture. Left: The forecast based on the seismic activity during the period from 2001 to 2010. Right: The forecast based on the seismic activity during the period from 2017 to 2019.



第 4 図 震度 4 以上の揺れを感じる地震の各都道府県における 3 ヶ月間予報. 左図 : 2001 ~ 2010 年の地震活動に基づく予報. 右図 : 2017 ~ 2019 年の地震活動に基づく予報.

Fig. 4 Three-month-forecast of the earthquake whose seismic intensity in JMA scale is four or greater in each prefecture. Left: The forecast based on the seismic activity during the period from 2001 to 2010. Right: The forecast based on the seismic activity during the period from 2017 to 2019.